

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:


- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/







5 cie

	•				
					i
					1
					i
					!
					!
					1
					1
					1
		•			
				•	1
					i
•					!
					1
					!
					I I
					i
					1



	i	
	'	
	•	
	•	1
•	'	
·		
	1	
	i	i
		1
	!	1
	'	
	!	
	!	
•		
	I	

ILLUSTRATIONS

OF

BRITISH FUNGI

(HYMENOMYCETES),

To serve as an Atlas to the Handbook of "British Fungi."

M. C. COOKE, M.A., LL.D., A.L.S.,

Late President of the Quekett Microscopical Club. President of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalista' Society; the Essex Field Club; and other Societies.

VOL. VI.

London:

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1886-1888.



•

.

`

•

-



CORTINARIUS (DERMOCYBE) OCHROLEUCUS.
on the ground.
Epping Forest.

Fries.


MacU

PL. 816.



CORTINARIUS (DERMOCYBE) DIABOLICUS. Fries.

under beech trees, Dorking, Nov. 1880.



•

•

•



CORTINARIUS (DERMOCYBE) TABULARIS. Bull. in mixed woods. near Carlisle. 1886.



CORTINARIUS (DERMOCYBE) CAMURUS. on ground in Epping Forest, Chingford.

Fries. Nov. 1882.

PL. 765.



cortinarius (DERMOCYBE) Caninus. Fries.
on the ground. Tunnel Woods, Watford. 1883.

PL. 817.



CORTINARIUS (DERMOCYBE) MYRTILLINUS. Fries. under beech trees. Christchurch, Hants.

•

.

M 10 D



CORTINARIUS (INOLOMA) AZUREUS. Fries.
Amengst leaves. Alresford, Hants.

PL. 748.



CORTINARIUS (DERMOCYBE) ALBO-CYANEUS Fries. under trees. Pontrilas. Sept. 1885.

PL. 776.



CORTINARIUS (DERMOCYBE! ANOMALUS. Fries. on the ground in woods. Lyndhurst, Haywood Forest. &c.

PL. 850.



CORTINARIUS (DERMOCYBE) LEPIDOPUS. Cooke.
in healthy places; Epping Forest, and near Carlisle. Sept. 1887.

Upr M



CORTINARIUS (DERMOCYBE) CINNABARINUS. Fries. near Hereford. in beech woods.



CORTINARIUS (DERMOCYBE) SANGUINEUS. Fries. on the ground in Epping Forest. Nov. 1882.

関係は

PL. 787.




CORTINARIUS (DERMOCYBE) ORELLANUS. Fries.
in woods. Coed Coch.

PL. 777.



CORTINARIUS (DERMOCYBE) CINNAMOMEUS. on the ground in woods. Dinmore.

·



CORTINARIUS (DERMOCYBE) CINNAMOMEUS. Fries. variety. on the ground. near Carlisle. 1886.

Uor M

PL. 779.



CORTINARIUS (DERMOCYBE) CINNAMOMEUS. Fries. $var./\beta$. SEMI-SANGUINEUS. Fries. on the ground. Lyme Regis. Oct. 1883.

jorM

PL. 780.



CORTINARIUS (DERMOCYBE) CROCEO-CONUS. in pine woods.

Wycliffe wood.

Fries.

UerN

Mar.




CORTINARIUS (DERMOCYBE) ULIGINOSUS. in boggy woods. King's Cliffe.



CORTINARIUS (DERMOCYBE) INFUCATUS. on the ground in woods. Haywood Forest.

Fries. Sept. 1883.



Bondier.

CORTINARIUS (DERMOCYBE) COTONEUS. Fries under oaks, or in mixed woods.

提供的数据 。

•

•

•

•

`

PL. 832.



CORTINARIUS (DERMOCYBE) SUBNOTATUS. Pers. amongst fir leaves. Alresford, Hants. Nov. 1886.

MaoU

PL. 750.



CORTINARIUS (DERMOCYBE) VALGUS Fries. (var.) in woods near Bristol. Oct. 1886.

PL. 833



CORTINARIUS (DERMOCYBE) VENETUS. Fries.

under beech trees. Aboyne.



CORTINARIUS (TELAMONIA) MACROPUS, Fries. on the ground, near Bristol. 1884.

PL. 800.



Sandy Lane. Bristol.

under trees.

Sept. 1885.

PL. 852.



CORTINARIUS (TELAMONIA) BIVELUS. Fries. in woods. Dinedor. Oct. 1881.

MacU

,

.

•

; ; ,. . .

PL. 834.

CORTINARIUS (TELAMONIA) BULBOSUS, Sow. in woods. Wycliffe Wood. Oct. 1883.



CORTINARIUS (TELAMONIA) URBICUS. Fries. amongst grass. Cabalva. Oct. 1879.

Maou

,

•

•

.

•

PL. 819.




CORTINARIUS (TELAMONIA) LICINIPES. Fries. var. ROBUSTIOR. in damp woods. Blaise Castle. Oct. 1884.

÷ ,

Maoth





PL, 865.



CORTINARIUS (TELAMONIA) MICROCYCLUS. Fries.
under trees. Browbourne. Oct. 1887.



CORTINARIUS (TELAMONIA) TORVUS. Fries.
on the ground in woods. Wycliffe Wood, Oct. 1882.

PL. 853.



CORTINARIUS (TELAMONIA) IMPENNIS. Fries. under fir trees. Dinedor. Oct. 1881.

•

.

.


Mach

PL. 820.



CORTINARIUS (TELAMONIA) QUADRICOLOR. Fries. under beech. Blaise Castle, Bristol. Oct. 1882.

PL. 821.



CORTINARIUS (TELAMONIA) EVERNIUS. Fries. in damp woods. Blaise Castle, and Wycliffe Wood.

PL. 866.



cortinarius (TELAMONIA) EVERNIUS. Fries. (Type).

in damp places. Epping Forest, 1885.

Wao II

•


PL. 867.



CORTINARIUS (TELAMONIA) QUADRICOLOR, Fries.
amongst grass. near Broxbourne. Oct. 1887.


W W





Macu


PL. 808.



CORTINARIUS (TELAMONIA) HÆMATOCHELIS B in woods. Coed Coch, Abergele.

Massi

PL. 804.



CORTINARIUS (TELAMONIA) HELVOLUS. Bull. in woods. Duraham Downs. Oct. 1883.

PL. 805.



continuation (TELAMONIA) HINNULEUS. Fries. on the ground, in woods. Dineder. Oct. 1881.

PL. 806.



on the ground. Haywood Forest, and Rothiemurchas.

.

.

PL. 836.



CORTINARIUS (TELAMONIA) HELVELLOIDES. Fries amongst beech leaves. Christohurch.

PL. 835.



CORTINARIUS (TELAMONIA) RUBELLUS. Cooke. in swamps. Moss, near Carlisle, 1886.

MaoU

Macu

PL. 822. flesh spongy.

cortinarius (TELAMONIA) BOVINUS.
on ground, in woods. Haywood Forest.


Fries. Sept. 1883.

PL. 837.



Cooke. CORTINARIUS (TELAMONIA) NITROSUS. on the ground. Durdham Down, Bristol.

PL. 823.



-CORTINARIUS (TELAMONIA) INJUCUNDUS. Weinm. under trees. Swarraton, Hants. Nov. 1886.

· Macli



CORTINARIUS (TELAMONIA) BRUNNEUS. Fries.
under trees. Haywood Forest, 1882.

PL. 868.



cortinarius (TELAMONIA) BRUNNEUS. Fries. (Type). on the ground. Epping Forest. Oct. 29, 1887.

Mapu

PL. 789.



CORTINARIUS (TELAMONIA) GLANDICOLOR. Fries. amongst moss. Fordingbridge. 1883.

Maple

PL. 855.



CORTINARIUS (TELAMONIA) PUNCTATUS. Fries under beech. near Ascot, 1881.



CORTINARIUS (TELAMONIA) TRIFORMIS var. SCHÆFFERI. Fries. Alresford, Hants. on the ground. Oct. 1885.

PL. 869.



CORTINARIUS (TELAMONIA) BIFORMIS. Fries.
in mixed woods. Park End, Forest of Dean. Oct. 1887.

MaoU


PL. 838.



CORTINARIUS (TELAMONIA) PERISCELIS. Weinm. in boggy places. Near Bristol, &c.

.

PL. 824.



CORTINARIUS (TELAMONIA) FLABELLUS.

under beech. Coed Coch.

UsrM

Magi,

PL. 839. R.E.B. M.C.C. Bull. CORTINARIUS (TELAMONIA) PSAMMOCEPHALUS. Credenhill Camp, 1882. under firs.

CORTINARIUS (TELAMONIA) ILEOPODIUS. Bull. in beech woods. near Bristol.

PL. 807.



on naked soil. Pleasure Grounds, Kew.



CORTINARIUS (TELAMONIA) HEMITRICHUS Belmont, Hereford, 1886. amongst moss, do.



CORTINARIUS ITELAMONIA) COOKEI. Quelet.
in fir woode. Coed Coch.



CORTINARIUS (TELAMONIA) RIGIDUS. Fries. in damp woods. near Carlisle. 1886.

Norw.

PL. 826.



CORTINARIUS (TELAMONIA) PALEACEUS Fries.
in moist woods. Hagwood Forest. Oct. 1884.

ijer?

图为识别

PL. 792.



CORTINARIUS (HYDROCYBE) FIRMUS. Fries. on the ground. near Bristol.



CORTINARIUS (HYDROCYBE) SUBFERRUGINEUS. Fries. on the ground in woods. Haywood Forest, Sept. 1883.

图等设计

PL. 793.




CORTINARIUS (HYDROCYBE) ARMENIACUS. Schaff. in fir woods. Mattishall. Aug. 1888.

PL. 856.



CORTINARIUS (HYDROCYBE) DAMASCENUS. Fries under trees. Pontrilas. Sept. 1885.







CORTINARIUS (HYDROCYBE) PRIVIGNUS. Fries.
under fir trees. Dinmore. 1885.

A SOL

PL. 809.



cortinarius (HYDROCYBE) Duracinus. Fries.
in woods. Hereford Fungus Show, 1881.

PL. 841.



CORTINARIUS (HYDROCYBE) ILLUMINUS. under firs. near Scarboro'.

PL. 857.




CORTINARIUS (HYDROCYBE) TORTUOSUS. Fries. in damp pine wood. Scarborough.

Macu

PL. 810.





Fries. Nov. 1882.

然特别

PL. 828.



CORTINARIUS (HYDROCYBE) SATURNINUS. Fries.
amongst grass. Diamore. 1886.

MacU

. •



CORTINARIUS (HYDROCYBE) IMBUTUS. Fries. in mixed woods. Forres, N.B. Sept. 1887.

PL. 842.



CORTINARIUS (HYDROCYBE) CASTANEUS. Fries. under trees. Kew Gardens, and Hereford.

PL 871.



cortinarius (HYDROCYBE) BICOLOR. Cooke.
in mixed woods. Park End, Forest of Dean. Oct. 1887.

PL. 794.



CORTINARIUS (HYDROCYBE) BALAUSTINUS. Fries. wader beeck. Credinkill Camp. Oct. 1882.

MaoU

PL. 795.



CORTINARIUS (HYDROCYBE) COLUS. Fries. on the ground. Blaize Castle, and Whitfield.

PL. 829.



CORTINARIUS (HYDROCYBE) ISABELLINUS. Fries.
in pine woods. Ascot.

PL. 782.



CORTINARIUS (HYDROCYBE) RENIDENS. Fries. under trees. Highbeach, Epping. Sept. 1882.

MaoU

Mast



CORTINARIUS (HYDROCYBE) URACEUS. Fries under fir trees. near Hereford.

Macu

PL. 797.



cortinarius (HYDROCYSE) JUBARINUS. Fries. amongst grass. Lyndhurst, Hants. Oct. 1888.


MacU

Hor M

PL. 858.




CORTINARIUS (HYDROCYBE) PATERIFORMIS. var. MAJOR. Fries amongst grass. Neasden, Middlesex. Sept. 1881.






CORTINARIUS (HYDROCYBE) UNIMODUS. Britzelmeyer. in grassy places. Carlisle. Sept. 1887.

:



PL. 811.



CORTINARIUS (HYDROCYBE) DOLABRATUS.
on the ground amongst fire. Dereham, Norfolk.

Nov. 1888.

PL. 812.



CORTINARIUS (HYDROCYBE) RIGENS. Fries. under firs. Epping Forest. June, 1869.




· Uorm

國際



Scarboro', Yorks. amongst moss.

PL. 848.




CORTINARIUS (HYDROCYBE) LEUCOPUS. Bull. under fir trees. near Kendal.



CORTINARIUS (HYDROCYBE) SCANDENS. Fr. Mon. (nec. Fr. Icon.)
on moist ground. near Downham, Norfolk.

PL. 798.




CORTINARIUS (HYDROCYSE) DECIPIENS. Fries. on the ground, in woods. Norfolk. 1882.

PL. 844.



CORTINARIUS (HYDROCYBE) GERMANUS. Fries.
under beech. Epping Forest, 1883.




CORTINARIUS (HYDROCYSE) ACUTUS. Fries. in moist woods. near Bristol, &c.

HOP M

PL. 846.





PL. 860.



CORTINARIUS (HYDROCYBE) DEPRESSUS. Fries in moist woods. Coed Coch, 1888.

PL. 814.



CORTINARIUS (HYDROCYBE) FASCIATUS. Fries.
under fir trees. Haywood Forest. Oct. 1883.

	٠		
		,	

PL 879.



GOMPHIDIUS GLUTINOSUS. Frie. ees. Park End, Forest of Dean. Oct. 1887. under fir trees.

wine li



GOMPHIDIUS ROSEUS Fries. in woods. The Wrekin, Salop.

•

. .

.

.

PL. 881. 18-20×6

GOMPHIDIUS VISCIDUS. Fries.
under fir trees. Credinbill Camp. Sept. 1882.

MacU



Scop. (Variety). GOMPHIDIUS MACULATUS. near fir trees. Dinedor Camp.

Maou

PL. 883.




GOMPHIDIUS GRACILIS. Berk. under fir trees. near Scarborough.

PL. 872.





PAXILLUS (LEPISTA) LEPISTA. Fries. in fir woods. Scarborough.



PAXILLUS (LEPISTA) ORCELLOIDES. C. & M. amongst grass. Queen's Cottage, Kew. Nov. 1886.

мчоU

. •



PAXILLUS (LEPISTA) EXTENUATUS. Fries.
amongst grass. near Hereford. (Dr. Bull.)



PAXILLUS (LEPISTA) LIVIDUS. Cooke. in woods. Leigh Down. Oct. 1882.

関当の日

PL. 862.



PAXILLUS (LEPISTA) REVOLUTUS. Cooke. in field, Sandy Lane, near Guildford. Oct. 1883.


MacU

PL. 884.





PAXILLUS (LEPISTA) PARADOXUS. (Kalch.) Berk. on the ground. Scarborough.

MacU



PAXILLUS (TAPINIA) INVOLUTUS. Fries. on the ground. Kew Gardens. Oct. 1882.





PAXILLUS (TAPINIA) LEPTOPUS. Fries. on stumps. Queen's Cottage, Kew.

MaoU

PL. 876.



PAXILLUS (TAPINIA) ATRO-TOMENTOSUS. Fries. Pine woods near Woburn Station. Sept. 1872.

MacU

PL. 877.




PAXILLUS (TAPINIA) CRASSUS.
on mound of rifle butts, Blackhooth.

Fries. Nov. 1886.

MaoU

PL. 878.



PAXILLUS (TAPINIA) PANUOIDES. Fries.
on emodust. Coed Coch.

MaoU


···

•



HYGROPHORUS (LIMACIUM) CHRYSODON. under trees, Westridge Wood, near Nibley.

Fries. Nov. 1880.







HYGROPHORUS (LIMACIUM) EBURNEUS. Fries.
in mixed woods. Epping Forest.

Q OFFICE


•




PL 887.



HYGROPHORUS (LIMACIUM) COSSUS. Fries. in mixed woods. Dinmore. Oct. 1887.





HYGROPHORUS (LIMACIUM) PENARIUS. Fries. in mixed woods. Morpeth, Oct. 1887.



HYGROPHORUS (LIMACIUM) ERUBESCENS. Friet. in fir woods. near Hereford.

Amoll

ī

PL, 911.

HYGROPHORUS (LIMACIUM) PUDORINUS. Fries. in woods. Crowell, Oxon, Oct. 1886.

MacU

PL. 889



HYGROPHORUS (LIMACIUM) GLUTINIFER. Bull in mixed woods. near Slough.

WaeU


Maoti



HYGROPHORUS (LIMACIUM) AUREUS. Arth. amongst grass. Kew Gardens. Nov. 1883.




hygrophorus (LIMACIUM) DISCOIDEUS. Friedby roadsides in woods. New Forest.



PL. 897.



HYGROPHORUS (LIMACIUM) LIMACINUS. Fries in woods. Blaize Castle Woods, Nov. 1886.



PL. 890.



HYGROPHORUS (LIMACIUM) OLIVACEO-ALBUS. Fries. near fir trees. Tunnel Wood, Watford. Oct. 1883.



HYGROPHORUS (LIMACIUM) HYPOTHEJUS.
on grassy bank. near Dorking.

*Qorid


PL 898.



HYGROPHORUS (LIMACIUM) CERASINUS. Berk. amongst grass. Street, Somerest, 1868.



HYGROPHORUS (LIMACIUM) FUSCO-ALBUS. Lasch.
in mixed woods. Jedburgh.



HYGROPHORUS (LIMACIUM) AGATHOSMUS. Fries in woods. Carlisle, Oct. 1886.


PL. 914. 10×5M

HYGROPHORUS (LIMACIUM) MESOTEPHRUS. B. & Br. in damp places. Lyndhurst, Hants.

PL. 915.



HYGROPHORUS (LIMACIUM) LIVIDO-ALBUS. Fries. in grassy places. Queen's Cottage, Kew, Nov. 1886.





HYGROPHORUS (CAMAROPHYLLUS) CAPRINUS. Scop. under fir trees. near Bath.

USP ::

操門会員



HYGROPHORUS (CAMAROPHYLLUS) LEPORINUS. Fries.
in woods. Forres, N.B.

Macij

PL, 931.



HYGROPHORUS (CAMAROPHYLLUS) NEMOREUS. Fries (?).
in pastures. Bishops Stortford, Oct. 1887.




HYGROPHORUS (CAMAROPHYLLU8) PRATENSIS. Pers. amongst grass. Pleasure Grounds, Kew.

Mac U



Ì,

HYGROPHORUS (CAMAROPHYLLUS) PRATENSIS var. CINEREUS. Fries.
in pastures. near Slough, 1882.



MHOU

PL. 892,



HYGROPHORUS (CAMAROPHYLLUS) VIRGINEUS. in grassy places. Cuckoo Pits, Epping Forest.

Wulf. Oct. 1883.



, agoti

. • , ٤





HYGROPHORUS (CAMAROPHYLLU8) VIRGINEUS, var. ROSEIPES.
in fir woods. near Carlisle. Oct. 1887.


,


1

•

£

.





HYGROPHORUS (CAMAROPHYLLUS) RUSSO-CORIACEUS. B. & Br. amongst grass. Ludlow, Coed Coch, &c.


والمراجعة المستا

Maci



amongst grass. Coed Coch, and Kenilworth.

,





HYGROPHORUS (CAMAROPHYLLUS) FORNICATUS. Fries.


amongst grass. Holm Lacey, Oct. 1872.

40 []



HYGROPHORUS (CAMAROPHYLLUS) DISTANS. B. & Br. in snoods. Addington Plantations, Oct. 1870.

Mac





HYGROPHORUS (CAMAROPHYLLUS) OVINUS. Bull. in pastures. near Bristol.

Masi



HYGROPHORUS (CAMAROPHYLLUS) METAPODIUS. Frees.
in open places and pastures. Somersetshire.





Maci





HYGROPHORUS SUBRADIATUS var. LACMUS. Fries.
on heathy ground. near Hereford.





HYGROPHORUS (CAMAROPHYLLUS) IRRIGATUS. Fries.
amonget grass, after much rain. Kew Gardens, Oct. 1882.







HYGROPHORUS (HYGROCYBE) FŒTENS. Phil.
amongst grass. Shrewsbury.














HYGROPHORUS (HYGROCYBE) MUCRONELLUS. in fields. near King's Lynn.

M TO LINE








HYGROPHORUS (HYGROCYBE) LÆTUS. Fries.
amongst grass. Epping Forest.










HYGROPHORUS (CAMAROPHYLLUS) HOUGHTONI. B. & Br. amongst grass. near Wellington, Salop.



UorM






HYGROPHORUS (HYGROCYBE) CERACEUS. Fries.

in grassy places. Coed Coch.









HYGROPHORUS (HYDROCYBE) COCCINEUS. Schaff. in grassy places. Queen's Cottage, Kew.






•

· ·

超高级






HYGROPHORUS (HYGROCYBE) TURUNDUS. Fr., var. MOLLIS. Berk. in grassy places. Coed Coch.







HYGROPHORUS (HYCROCYBE) MICACEUS. B. & Br. on clay soil. Coed Coch.






图制制







HYGROPHORUS (HYGROCYBE) PUNICEUS. Fries amongst moss, &c. Bedfordshire.

















HYGROPHORUS (HYGROCYBE) INTERMEDIUS. Pass amongst grass, by roadside, Langley, 1882.





i or Wil






HYGROPHORUS (HYGROCYBE) CONICUS. Frie on lawns. Kew Gardons.















HYGROPHORUS (HYGROCYBE) CALYPTRÆFORMIS var. NIVEUS. amongst grass. Queen's Cottage Grounds, Kew.






.



,



HYGROPHORUS (HYGROCYBE) CHLOROPHANUS. Fries. amongst grass. Pleasure Grounds, Rev. Oct. 1883.

WHO!








Macile 1





١.


٠





Myel







HYGROPHORUS (HYGROCYBE) NITRATUS. P. amongst grass in woods. Durdham Down, Oct. 1882.



